

SEQUENCE LISTING

INFORMATION:

1111 01-1-1

Metz, James G.

Lardizabal, Kathryn D.

Lassner, Michael

(ii) TITLE OF INVENTION: Nucleic Acid Sequences Encoding in A Cytoplasmic Protein Involved in Fatty Acyl-COA Metabolism

(iii) NUMBER OF SEQUENCES: 39

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Calgene, Inc.

(B) STREET: 1920 Fifth Street

(C) CITY: Davis

(D) STATE: CA

(E) COUNTRY: USA

(F) ZIP: 95616

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Diskette, 3.50 inch, 2.0 MB

(B) COMPUTER: Apple Macintosh

(C) OPERATING SYSTEM: Macintosh 7.0

(D) SOFTWARE: Microsoft Word 5.1a

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: 08/657,749

(B) FILING DATE: 30-MAY-96

(C) CLASSIFICATION:

(vi) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: PCT/US94/13686

(B) FILING DATE: 30-NOV-94

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: 08/265,047

- (B) FILING DATE: 23-JUN-94
- (C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: 08/160,602
- (B) FILING DATE: 30-NOV-93
- (C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: 08/066,299
- (B) FILING DATE: 20-MAY-93

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: PCT/US92/09863
- (B) FILING DATE: 13-NOV-92

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: 07/933,411
- 21-AUG-92 (B) FILING DATE:

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: 07/796,256
- (B) FILING DATE: 20-NOV-91

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: Elizabeth Lassen
- (B) REGISTRATION NUMBER: 31,845
- (A) NAME: Donna E. Scherer
- (B) REGISTRATION NUMBER: 34,719
- (A) NAME: Carl J. Schwedler
- (B) REGISTRATION NUMBER: 36,924
 - CGNE 101-2 WO (C) REFERENCE/DOCKET NUMBER:

(ix) TELECOMMUNICATION INFORMATION:

•																
		(B)	TEL	EFAX	::	(916) 75	3-15	10							
(2)) IN	FORM	OITA	V FOI	R SE(O ID	NO:	1								
(i)) SE(QUEN	CE CH	IARA(CTER	ISTIC	CS:									
		(A)	LEN	GTH:		17	'86 b	ase	pair	îs.						
		(B)	TYP	E:	nu	clei	c ac	id								
	(C)	STI	RANDI	EDNES	SS:	si	.ngle	<u> </u>								
	(D)	TOI	POLOG	GY:		li	.near	-								
(i:	i) MO	OLECT	JLE :	TYPE	: (DNA	to r	nRNA								
(x:	i) SI	EQUEI	NCE I	DESCI	RIPT	ION:	SEQ	ID 1	NO:1	:						
AAA′	rccto	CCA (CTCA:	raca(CT CO	CACT'	rctc:	r ct	CTCT	CTCT	CTC	rctc:	rga A	AACAA	ATTTGA	60
			-													
GTA	GCAAZ	ACT :	TAAA1	AGAAZ											r CTT e Leu	112
					1				5					10		
GAT	AAC	AAA	GCC	AŢŢŢ	TTG	GTC	АСТ	GGT	GCT	АСТ	GGC	TCC	TTA	GCA	AAA	160
			Ala 15													
								20								
			GAG Glu													208
TTE	FIIE	30	GIU	пуъ	vai	пеа	35	Ser	GIII	PIO	ASII	40	пуъ	пуъ	Deu	
m > m		~~~	mma	202	667	200	03 m	~~~	a.a	202	COM	COM	C) The s	000	mma	256
	Leu		TTG Leu			Thr					Ala					256
	45					50					55					
			GTT													304
Gln 60	Asn	Glu	Val	Phe	Gly 65	Lys	Glu	Leu	Phe	Lys 70	Val	Leu	Lys	Gln	Asn 75	
			AAT Asn													352
	-			80	-				85		-			90		

(A) TELEPHONE: (916) 753-6313

				GAC Asp						400
				ATC Ile 115						448
	AAC			TAC Tyr			CTT			496
				GAC Asp						544
				ACT Thr						592
				TAT Tyr						640
				GTA Val 195					i	688
				GGG Gly						736

ACA Thr 220								784
AAT Asn								832
TAC Tyr								880
AGC Ser								928
		CCT Pro						976
CTT Leu 300								1024
GTG Val								1072
GTA Val								1120
AAA Lys								1168
		CCG Pro						1216
GTC Val 380								1264

1																
														TGC Cys 410	CAA Gln	1312
														TTG Leu		1360
														GGC Gly		1408
														GAA Glu		1456
														AAC Asn		1504
														CAC His 490		1552
CTT Leu		TAAA	AAGTT	TAC (GTAC	CGAAZ	YT A	GAGAZ	\GAT1	r ggz	\ATG(CATG	CAC	CGAAA	AGN	1608
NCAZ	CATA	AAA A	AGACO	GTGGT	T A	AGTO	CATGO	TC#	\AAA/	AAGA	AATA	'AAA	rgc <i>i</i>	AGTT <i>I</i>	AGGTTT	1668
GTGT	TGC	AGT I	TTG	ATTCC	CT TO	STATT	rgtt <i>i</i>	A CTI	GTAC	TTT	TGAT	CTT	rtt (CTTT	TAATT	1728
GAAA	ATTTC	CTC I	CTTI	rgtti	rt Gi	rgaa <i>i</i>	\AAA/	AAA	AAA.	AAA	GAGO	CTCCT	rgc <i>i</i>	AGAAG	CTT	1786

- (2) INFORMATION FOR SEQ ID NO: 2:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1733 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA to mRNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
GGAACTCCAT CCCTTCCTCC CTCACTCCTC TCTCTACA ATG AAG GCC AAA ACA ATC Met Lys Ala Lys Thr Ile 1 5	56
ACA AAC CCG GAG ATC CAA GTC TCC ACG ACC ATG ACC ACC ACG ACC ACG Thr Asn Pro Glu Ile Gln Val Ser Thr Thr Met Thr Thr Thr Thr 10 15 20	L04
ACT ATG ACC GCC ACT CTC CCC AAC TTC AAG TCC TCC ATC AAC TTA CAC Thr Met Thr Ala Thr Leu Pro Asn Phe Lys Ser Ser Ile Asn Leu His 25 30 35	L52
CAC GTC AAG CTC GGC TAC CAC TAC TTA ATC TCC AAT GCC CTC TTC CTC His Val Lys Leu Gly Tyr His Tyr Leu Ile Ser Asn Ala Leu Phe Leu 40 45 50	200
GTA TTC ATC CCC CTT TTG GGC CTC GCT TCG GCC CAT CTC TCC TCC TTC Val Phe Ile Pro Leu Leu Gly Leu Ala Ser Ala His Leu Ser Ser Phe 60 65 70	248
TCG GCC CAT GAC TTG TCC CTG CTC TTC GAC CTC CTT CGC CGC AAC CTC Ser Ala His Asp Leu Ser Leu Leu Phe Asp Leu Leu Arg Arg Asn Leu 75 80 85	296
CTC CCT GTT GTC GTT TGT TCT TTC CTC TTC GTT TTA TTA GCA ACC CTA Leu Pro Val Val Val Cys Ser Phe Leu Phe Val Leu Leu Ala Thr Leu 90 95 100	344
CAT TTC TTG ACC CGG CCC AGG AAT GTC TAC TTG GTG GAC TTT GGA TGC His Phe Leu Thr Arg Pro Arg Asn Val Tyr Leu Val Asp Phe Gly Cys 105 110 115	392
TAT AAG CCT CAA CCG AAC CTG ATG ACA TCC CAC GAG ATG TTC ATG GAC Tyr Lys Pro Gln Pro Asn Leu Met Thr Ser His Glu Met Phe Met Asp 120 130	140

CGG ACC Arg Thr 135								488
AGG AAG Arg Lys								536
GAA TCC Glu Ser								584
GCC GAG Ala Glu								632
AAG ACC Lys Thr 200	Gly							680
AGC TTO Ser Leu 215								728
TAC AAG Tyr Lys								776
TGC AGT Cys Ser								824
GTT TAC Val Tyr								872
ACC CTT Thr Leu 280	Asn							920
TGC CTA Cys Leu 295								968

		TCC Ser						1016
		GAC Asp					GAA Glu	1064
		GTA Val					GCA Ala	1112
		CTA Leu						1160
		GAA Glu 380					GCA Ala 390	1208
		ATG Met						1256
		GAC Asp						1304
		AAG Lys					GAA Glu	1352
		CTG Leu					TCA Ser	1400
		GCA Ala 460						1448

							GGA Gly								AAC Asn	1496
							AGG Arg									1544
							GAG Glu 510								AAA Lys	1592
				GCT Ala		TAG	AACTO	GCT A	AGGAT	rgtg?	AT TA	AGTA	ATGA?	Ą		1640
AAA	rgtg:	TAT	ratg:	rTAG:	rg an	rgta(SAAAZ	A AGA	AAACI	ATT	GTT	ATG(GT (GAGAZ	ACATGT	1700
CTC	ATTGA	AGA A	AATA	CGTG	rg cz	ATCG:	rtgtc	G TTC	3							1733
					SEQ CTERI		10:3 CS:	:								
		(A)	LEN	GTH:		17	'83 b	ase	pair	s						
		(B)	TYP	E:	nu	clei	c ac	id								
	(C)	STF	RANDE	EDNES	SS:	si	ngle	2								
	(D)	TOE	POLOG	GY:	li	near										
(ii	L) MC	DLECU	JLE 7	CYPE:	: C	DNA	to n	nRNA								
(xi	L) SE	EQUEN	ICE I	DESCE	RIPTI	ON:	SEQ	ID N	10:3	:						
GTCC	SACAC		et Ly			s Tł						u II			TC TCC al Ser	51
							ACG Thr									99

TCC TCC Ser Ser							147
TCC AAT Ser Asn	u Phe						195
GCC CAC Ala His							243
CTC CTT Leu Leu 80							291
GTT TTA Val Leu 95							339
TTG GTG Leu Val							387
CAC GAG His Glu	e Met						435
GAG AAT Glu Asn							483
CGG GAA Arg Glu 160							531
AGC ATA Ser Ile 175							579
ATC GAC Ile Asp							627

ATA CTG Ile Leu	GTG GTG Val Val 210	AAC TGC Asn Cys	AGC TI Ser Le	G TTT u Phe 215	AAC Asn	CCA Pro	ACG Thr	CCG Pro	TCG Ser 220	CTG Leu	TCA Ser	675
		AAC CAT Asn His		s Leu								723
AAT CTT Asn Leu 240	GGT GGC Gly Gly	ATG GGT Met Gly	TGC AC Cys Se 245	T GCT r Ala	GGG Gly	CTC Leu	ATT Ile 250	TCC Ser	ATT Ile	GAT Asp	CTT Leu	771
		CTA CAG Leu Gln 260	Val Ty									819
		ATG ACC Met Thr 275										867
		AAC TGC Asn Cys			Met							915
		TGG CGT		g Arg								963
		ACC CAC										1011
		GAA GAT Glu Asp 340	Glu As									1059
		GCA GTT Ala Val 355										1107

									TTC Phe	TTT Phe	1155
									AAG Lys	CCA Pro	1203
									CAT His	GCA Ala	1251
									TTG Leu	ACG Thr 430	1299
									GGG Gly 445	AAC Asn	1347
									GCA Ala	AAA Lys	1395
									GGT Gly	TCA Ser	1443
									GTC Val	AAT Asn	1491
									TTC Phe	CCT Pro 510	1539
			GCA Ala			TAG	AACT(GCT .	AGGA'	rgtgat	7 1592

TAGTAATGAA AAATGTGTAT TATGTTAGTG ATGTAGAAAA AGAAACTTTA GTTGATGGGT 1652

GAGAACATGT CTCATTGAGA ATAACGTGTG CATCGTTGTG TTGAATTTGA ATTTGAGTAT 1712
TGGTGAAATT CTGTTAGAAT TGACGCATGA GTCATATATA TACAAATTTA AGTAAGATTT 1772
TACGCTTTCT T 1783

- (2) INFORMATION FOR SEQ ID NO: 4:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1647 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other nucleic acid
 - (A) DESCRIPTION: PCR to genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

GGCGCGCGG TACCTCTAGA CCTGGCGATT CAACGTGGTC GGATCATGAC GCTTCCAGAA 60 AACATCGAGC AAGCTCTCAA AGCTGACCTC TTTCGGATCG TACTGAACCC GAACAATCTC 120 GTTATGTCCC GTCGTCTCCG AACAGACATC CTCGTAGCTC GGATTATCGA CGAATCCATG 180 GCTATACCCA ACCTCCGTCT TCGTCACGCC TGGAACCCTC TGGTACGCCA ATTCCGCTCC 240 CCAGAAGCAA CCGGCGCCGA ATTGCGCGAA TTGCTGACCT GGAGACGGAA CATCGTCGTC 300 GGGTCCTTGC GCGATTGCGG CGGAAGCCGG GTCGGGTTGG GGACGAGACC CGAATCCGAG 360 CCTGGTGAAG AGGTTGTTCA TCGGAGATTT ATAGACGGAG ATGGATCGAG CGGTTTTGGG 420 GAAAGGGGAA GTGGGTTTGG CTCTTTTGGA TAGAGAGAGT GCAGCTTTGG AGAGAGACTG 480 GAGAGGTTTA GAGAGAGACG CGGCGGATAT TACCGGAGGA GAGGCGACGA GAGATAGCAT 540 TATCGAAGGG GAGGGAGAAA GAGTGACGTG GAGAAATAAG AAACCGTTAA GAGTCGGATA 600

TTTATCATAT TAAAAGCCCA ATGGGCCTGA ACCCATTTAA ACAAGACAGA TAAATGGGCC 660 GTGTGTTAAG TTAACAGAGT GTTAACGTTC GGTTTCAAAT GCCAACGCCA TAGGAACAAA 720 ACAAACGTGT CCTCAAGTAA ACCCCTGCCG TTTACACCTC AATGGCTGCA TGGTGAAGCC 780 ATTAACACGT GGCGTAGGAT GCATGACGAC GCCATTGACA CCTGACTCTC TTCCCTTCTC 840 TTCATATATC TCTAATCAAT TCAACTACTC ATTGTCATAG CTATTCGGAA AATACATACA 900 CATCCTTTTC TCTTCGATCT CTCTCAATTC ACAAGAAGCA AAGTCGACGG ATCCCTGCAG 960 TAAATTACGC CATGACTATT TTCATAGTCC AATAAGGCTG ATGTCGGGAG TCCAGTTTAT 1020 GAGCAATAAG GTGTTTAGAA TTTGATCAAT GTTTATAATA AAAGGGGGAA GATGATATCA 1080 CAGTCTTTTG TTCTTTTTGG CTTTTGTTAA ATTTGTGTGT TTCTATTTGT AAACCTCCTG 1140 TATATGTTGT ACTTCTTTCC CTTTTTAAGT GGTATCGTCT ATATGGTAAA ACGTTATGTT 1200 TGGTCTTTCC TTTTCTCTGT TTAGGATAAA AAGACTGCAT GTTTTATCTT TAGTTATATT 1260 ATGTTGAGTA AATGAACTTT CATAGATCTG GTTCCGTAGA GTAGACTAGC AGCCGAGCTG 1320 AGCTGAACTG AACAGCTGGC AATGTGAACA CTGGATGCAA GATCAGATGT GAAGATCTCT 1380 AATATGTGG TGGGATTGAA CATATCGTGT CTATATTTTT GTTGGCATTA AGCTCTTAAC 1440 ATAGATATAA CTGATGCAGT CATTGGTTCA TACACATATA TAGTAAGGAA TTACAATGGC 1500 AACCCAAACT TCAAAAACAG TAGGCCACCT GAATTGCCTT ATCGAATAAG AGTTTGTTTC 1560 CCCCCACTTC ATGGGATGTA ATACATGGGA TTTGGGAGTT TGAATGAACG TTGAGACATG 1620 GCAGAACCTC TAGAGGTACC GGCGCGC 1647

- (2) INFORMATION FOR SEQ ID NO: 5:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- - (2) INFORMATION FOR SEQ ID NO: 6:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

 Val Pro Xaa Glu Pro Ser Ile Ala Ala Xaa
 5 10
 - (2) INFORMATION FOR SEQ ID NO: 7:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

 Glu Thr Tyr Val Pro Glu Glu Val Thr Lys
 5 10

- (2) INFORMATION FOR SEQ ID NO: 8:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Asp Leu Met Ala Val Ala Gly Glu Ala Leu Lys 5 10

- (2) INFORMATION FOR SEQ ID NO: 9:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Met Thr Asn Val Lys Pro Tyr Ile Pro Asp Phe 5 10

- (2) INFORMATION FOR SEQ ID NO: 10:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Phe Leu Pro Xaa Xaa Val Ala Ile Thr Gly Glu
5 10

- (2) INFORMATION FOR SEQ ID NO: 11:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

Phe Gly Asn Thr Ser Ser Xaa Xaa Leu Tyr Xaa Glu Leu Ala Tyr Ala 5 10 15

- (2) INFORMATION FOR SEQ ID NO: 12:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Ala Glu Ala Glu Val Met Tyr Gly Ala Ile Asp Glu Val Leu Glu 5 10 15 Lys

- (2) INFORMATION FOR SEQ ID NO: 13:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Xaa Asp Ile Ala Ile Ile Gly Ser Gly Ser Ala Gly Leu Ala Gln Ala 5 10 15

Xaa Ile Leu Lys Asp Ala Gly 20

- (2) INFORMATION FOR SEQ ID NO: 14:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Gln Gln Phe Thr Val Trp Xaa Asn Ala Ser Glu Pro Ser 5 10

- (2) INFORMATION FOR SEQ ID NO: 15:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other
 - (A) DESCRIPTION: synthetic oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

AAYATHACNA CNYTNGG

17

- (2) INFORMATION FOR SEQ ID NO: 16:
- (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 17 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: other	
(A) DESCRIPTION: synthetic oligonucleotide	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:	
SWRTTRCAYT TRAANCC	17
(2) INFORMATION FOR SEQ ID NO: 17: (i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 1810 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA to mRNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:	
GAA ATG AGT AGG TCT AGC GAA CAA GAT CTA CTC TCT ACC GAG ATT GTT Met Ser Arg Ser Ser Glu Gln Asp Leu Leu Ser Thr Glu Ile Val 1 10 15	48
AAC CGT GGG ATC GAA CCT TCC GGT CCA AAC GCC GGT TCA CCA ACG TTC Asn Arg Gly Ile Glu Pro Ser Gly Pro Asn Ala Gly Ser Pro Thr Phe 25	96
TCG GTC AGA GTC CGG AGA CGT TTA CCG GAT TTT CTT CAA TCC GTA AAC Ser Val Arg Val Arg Arg Leu Pro Asp Phe Leu Gln Ser Val Asn 45	144

			GGT Gly					192
			GTT Val 70					240
			GAG Glu					288
			TTC Phe					336
			CCA Pro					384
			GAA Glu					432
			GGC Gly 150					480
			GCC Ala					528
			TCG Ser					576
			ATG Met					624
			CCG Pro					672

-	AGT Ser 225								720
	TAC Tyr								768
	TGC Cys								816
	TCT Ser								864
	ТАТ Туг								912
	TTC Phe 305								960
	GAC Asp								1008
	AAG Lys							GAA Glu	1056
	GAA Glu				Ile			GAA Glu	1104
	GGA Gly								1152

				CAG Gln 390										1200
				GCC Ala										1248
				GCC Ala										1296
				TAC Tyr										1344
				GTG Val										1392
				GAG Glu 470										1440
				GGA Gly										1488
				AGA Arg										1536
				AAC Asn									AAG Lys	1584
				AAC Asn									CGT Arg	1632
	GTC Val		TGAT	CAT	TA T	TTT	ΓΑΑΑΖ	AT TA	CATTA	TTTCT	r TCI	TAAT	PTAA	1687

ATCA	TCT	ATG A	ATCTO	CTCT	rc c	rtgti	CTTO	GA:	rgat <i>i</i>	AGAC	GTT	rgttī	'GC '	rggt(CATTCG	1747
TATO	ATT	AGA (CTTCT	ATAT	AG AA	ATGG	ATGGT	TC	AAGT	CCAA	AAA	AAAA	AA A	AAAA	AAAAA	1807
AAA (2)	INFO	ORMA	rion	FOR	SEQ	ID 1	NO: 1	.8:								1810
(i)	SEÇ	QUENC	CE CH	IARA(CTER	ISTIC	CS:									
		(A)	LEN	GTH:	1	442	base	pai	rs							
		(B)	TYP	E:	nu	clei	c ac	id								
	(C)	STE	RANDI	EDNES	SS:	si	.ngle									
	(D)	TOI	POLOC	GY:	li	near										
(ii	.) M(OLECT	JLE ?	TYPE	: (CDNA	to m	nRNA								
(20	ril (SEOI I	TNICE	חדכו	יס ד סי	PT (NI)	: SEÇ	מד ר	NO · 1	۱۵ .						
(2)	L-1 L	JEQUI	71VC EJ	משמ	JI(11.	I I OIV	. DDy	ע בע	110.							
GTCG	BACA?	Me				le As						yr Hi			rc ata al Ile	51
												GCG Ala				99
												CAC His				147
												CTC Leu				195
												CCC Pro 75				243
												CAT His				291

			GAT Asp						339
			TGC Cys						387
			TCA Ser						435
			CCT Pro						483
			ATC Ile 165						531
			AAA Lys						579
			CCT Pro						627
			GTA Val						675
			GCC Ala						723
			GCT Ala 245					-	771

TAT A Tyr A 255									819
TTG T Leu P									867
GAT C Asp A									915
ACC G Thr G									963
GAG A Glu A 3									1011
GCT G Ala G 335									1059
CTT C Leu P									1107
AAA C Lys L									1155
CTT G Leu A	Ala								1203
GAT G Asp V 4									1251
TCA A Ser A 415									1299

TGG TAT GAG TTG GCA TAC ATA GAA GCA AAA GGA AGG ATG AAG AAA GGT 1347 Trp Tyr Glu Leu Ala Tyr Ile Glu Ala Lys Gly Arg Met Lys Lys Gly 435 440 445
AAT AAA GTT TGG CAG ATT GCT TTA GGG TCA GGC TTT AAG TGT AAC AGT 1395 Asn Lys Val Trp Gln Ile Ala Leu Gly Ser Gly Phe Lys Cys Asn Ser 450 455 460
GCA GTT TGG GTG GCT CTA AAC AAT GTC AAA GCT TCC AAA TAGGATCC Ala Val Trp Val Ala Leu Asn Asn Val Lys Ala Ser Lys 465 470 475
(2) INFORMATION FOR SEQ ID NO: 19:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1442 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: cDNA to mRNA
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19 :
GTCGACAAA ATG ACG TCC ATT AAC GTA AAG CTC CTT TAC CAT TAC GTC ATA 51 Met Thr Ser Ile Asn Val Lys Leu Leu Tyr His Tyr Val Ile 1 5 10
ACC AAC CTT TTC AAC CTT TGC TTC TTT CCG TTA ACG GCG ATC GTC GCC Thr Asn Leu Phe Asn Leu Cys Phe Phe Pro Leu Thr Ala Ile Val Ala 15 20 25 30
GGA AAA GCC TAT CGG CTT ACC ATA GAC GAT CTT CAC CAC TTA TAC TAT Gly Lys Ala Tyr Arg Leu Thr Ile Asp Asp Leu His His Leu Tyr Tyr 35 40 45
TCC TAT CTC CAA CAC AAC CTC ATA ACC ATC GCT CCA CTC TTT GCC TTC Ser Tyr Leu Gln His Asn Leu Ile Thr Ile Ala Pro Leu Phe Ala Phe 50 55 60

			CTC Leu					243
			TGC Cys 85					291
			GAT Asp					339
			TGC Cys					387
			TCA Ser					435
			CCT Pro					483
			ATC Ile 165					531
			AAA Lys					579
			CCA Pro					627
			GTA Val					675

	GTT ATA Val Ile		e Asp					723
	ACG TAT							771
	GCT GGT Ala Gly 260	Asp Asr						819
	GGT GGG Gly Gly 275							867
	TCC AAG Ser Lys			Val				915
	GAC AAG Asp Lys		e Arg					963
	ATC GGA Ile Gly							1011
	GTT AAG Val Lys 340	Lys Ası						1059
	GAG AAA Glu Lys 355							1107
	GAT AAA Asp Lys							1155
	CAT TTT His Phe		His					1203

													GAG Glu		1251
													TCA Ser		1299
													AAA Lys 445		1347
													AAC Asn		1395
	GTT Val											TAGO	GATCO	C	1442
(2)	TAIR	ስተጋ ከ ፈጽ ፫	n T () N	EOD	CEO	TD N	TO - 1	00.							
	INFO SEQ							40:							
, ,					62			airs							
		(B)	TYP	E:	nu	clei	c ac	id							
	(C)	ST	RANDI	EDNES	SS:	si	ngle	:							
	(D)	TOI	POLOC	GY:	li	near									
(ii	i) MC	LECU	JLE 7	TYPE:	: (DNA	to n	nRNA							
(x:	i) SE	EQUE1	ICE I	DESCE	RIPTI	ON:	SEQ	ID N	10:20) :					
													TAC Tyr 15		48
													TCT Ser		96

ACC Thr	ATC Ile	AAC Asn 35	GAC Asp	CTC Leu	TCT Ser	CTC Leu	CTC Leu 40	TAC Tyr	AAC Asn	ACA Thr	CTC Leu	CGT Arg 45	TTC Phe	CAT His	TTC Phe	144
CTC Leu	TCC Ser 50	GCC Ala	ACA Thr	CTC Leu	GCC Ala	ACC Thr 55	GCA Ala	CTC Leu	TTG Leu	ATC Ile	TCT Ser 60	CTC Leu	TCC Ser	ACC Thr	GCT Ala	192
TAC Tyr 65	TTC Phe	ACC Thr	ACC Thr	CGT Arg	CCT Pro 70	CGC Arg	CGT Arg	GTC Val	TTC Phe	CTC Leu 75	CTC Leu	GAC Asp	TTC Phe	TCG Ser	TGT Cys 80	240
												ACA Thr				288
												TTA Leu				336
												ACT Thr 125				384
												GAA Glu			AGA Arg	432
												GCG Ala				480
												GTG Val				528
												ATT Ile				576

				GGC Gly									623
(2)	INF	ORMA'	rion	FOR	SEQ	ID 1	10: 2	21:					
(i)	SEQ	QUEN	CE CI	HARAG	CTER	ISTIC	cs:						
		(A)	LEN	GTH:	607	ba	se p	airs					
		(B)	TYF	E:	nu	clei	c ac	id					
	(C)	STI	RANDI	EDNES	SS:	si	ngle	•					
	(D)	TOI	POLO	GY:	li	near							
(i:	i) MO	DLEC	JLE '	rype	: (CDNA	to r	nRNA					
(x:	i) SI	EQUEI	NCE I	DESCI	RIPTI	ION:	SEQ	ID I	NO:21	1 :			
				GGC Gly 5									48
				CTA Leu									96
				CTT Leu									144
				GCC Ala									192
				TAC Tyr									240
				AGC Ser 85									288

CAA Gln	GAT Asp	TTC Phe	AGC Ser 100	GAA Glu	ACT Thr	TCT Ser	CTT Leu	GAG Glu 105	TTC Phe	CAG Gln	AGG Arg	AAG Lys	ATC Ile 110	TTG Leu	ATT Ile	336
								TAT Tyr							TCT Ser	384
								GCA Ala							CAG Gln	432
								CTT Leu							AAT Asn 160	480
								GTG Val							CCC Pro	528
								GTT Val 185							GGA Gly	576
–			_					GGC Gly		G						607
(2)	INFO	ORMA!	rion	FOR	SEQ	ID 1	NO: 2	22:								
(i)	SEÇ	QUENC	CE CI	HARA	CTER	ISTIC	CS:									
		(A)	LEN	GTH:	62	2 ba	se p	airs								
		(B)	TYP	'E:	nu	clei	c ac	id								
	(C)	STI	RANDI	EDNES	SS:	si	.ngle	ž								
	(D)	TOI	POLOG	GY:	li	near										

(ii) MOLECULE TYPE: cDNA to mRNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

			TAC Tyr					48
			GTT Val					96
			ATT Ile 40					144
			GCT Ala					192
			TCT Ser					240
			CAG Gln					288
			TTC Phe					336
			GGT Gly 120					384
			CCG Pro					432
			TTT Phe					480

					Pro								Val			J20
					ACA Thr											576
					AAT Asn										G	622
	(2) INFORMATION FOR SEQ ID NO: 23:															
(i)	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 625 base pairs															
		(A)	LEN	IGTH:	62	5 ba	se p	airs								
		(B)	TYP	E:	nu	clei	c ac	id								
			RANDI POLO			si near	ngle.	2								
(i:	i) M	OLECT	JLE :	TYPE	: (CDNA	to r	nRNA								
(x:	i) SI	EQUEI	VCE I	DESCI	RIPT	ION:	SEQ	ID 1	NO:23	3 :						
AAG	CTT	AAG	TTA	TGG	TAT	CAC	TAC	CTG	ATT	TCT	CAC	CTT	TTT	AAG	CTC	48
Lys 1	Leu	Lys	Leu	Trp 5	Tyr	His	Tyr	Leu	Ile 10	Ser	His	Leu	Phe	Lys 15	Leu	
TTG	TTG	GTT	ССТ	TTA	ATG	GCG	GTT	CTG	TTC	ACG	AAT	GTC	TCC	CGG	TTA	96
					Met											
7.00	O.T.	330	~~~	ama	mam.	O.T.O.	03.5	ama	mam	ama	a. a	0.77.0	~~~			111
					TGT Cys											144
		33					10					10				
	Val				TTC Phe	Phe					Ile					192
	50					55					60					
					CGA											240
Val 65	Ile	Phe	Met	Ser	Arg 70	Pro	Arg	Ser	Val	Tyr 75	Leu	Leu	Asp	Tyr	Ser 80	

			CTC Leu						288
			GAT Asp						336
			TCC Ser 120						384
			CCG Pro						432
			ATC Ile						480
			AGG Arg						528
			CCT Pro						576
			GTG Val 200					G	625

(2) INFORMATION FOR SEQ ID NO: 24:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1704 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

cDNA to mRNA (ii) MOLECULE TYPE: (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24: GTTCATTGAT TTGTTTGAGA CTCTGTTGCA GAAATCTCCA C ATG GAT GAA TCC 56 Met Asp Asp Glu Ser GTT AAT GGA GGA TCC GTA CAG ATC CGG ACC CGA AAG TAC GTC AAG CTG 104 Val Asn Gly Gly Ser Val Gln Ile Arg Thr Arg Lys Tyr Val Lys Leu 10 GGT TAT CAC TAC CTG ATT TCT CAC CTT TTT AAG CTC TTG TTG GTT CCT 152 Gly Tyr His Tyr Leu Ile Ser His Leu Phe Lys Leu Leu Leu Val Pro 25 30 35 TTA ATG GCG GTT CTG TTC ACG AAT GTC TCC CGG TTA AGC CTA AAC CAG 200 Leu Met Ala Val Leu Phe Thr Asn Val Ser Arg Leu Ser Leu Asn Gln 45 40 50 CTC TGT CTC GAT CTC TCT CTC CAG CTC CAG TTC AAT CTC GTC GGA TTC 248 Leu Cys Leu Asp Leu Ser Leu Gln Leu Gln Phe Asn Leu Val Gly Phe 55 60 ATC TTC ATT ACC GCC TCC ATT TTC GGA TTC ACA GTT ATC TTC ATG 296 Ile Phe Phe Ile Thr Ala Ser Ile Phe Gly Phe Thr Val Ile Phe Met 75 80 85 TCC CGA CCT AGA TCC GTT TAC CTC CTC GAC TAC TCA TGT TAC CTC CCG 344 Ser Arg Pro Arg Ser Val Tyr Leu Leu Asp Tyr Ser Cys Tyr Leu Pro 90 95 NCG GCG AAT CTC AAA GTT AGC TAC CAG ACA TTC ATG AAT CAT TCT AAA 392 Xxx Ala Asn Leu Lys Val Ser Tyr Gln Thr Phe Met Asn His Ser Lys 105 110 115 CTG ATT GAA GAT TTC GAC GAG TCG TCG CTT GAG TTC CAG CGG AAG ATC 440 Leu Ile Glu Asp Phe Asp Glu Ser Ser Leu Glu Phe Gln Arg Lys Ile

(D) TOPOLOGY:

120

linear

125

130

				GAG Glu				488
				ATG Met				536
				GAC Asp				584
				GTG Val 190				632
				ATG Met				680
				CTC Leu				728
				AAT Asn				776
				ACA Thr				824
				TTG Leu 270				872
				TCG Ser				920
				ACG Thr				968

GAG Glu								1016
ACC Thr								1064
CTA Leu								1112
GAG Glu								1160
GCC Ala 375								1208
TTT Phe								1256
CTA Leu								1304
ATG Met								1352
GAA Glu								1400
GTT Val 455								1448

GTT TGG GTG GCT CTT CGT GAT GTC GAG CCC TCG GTT AAC AAT CCT TGG Val Trp Val Ala Leu Arg Asp Val Glu Pro Ser Val Asn Asn Pro Trp 470 475 480 485	1496
GAA CAT TGC ATC CAT AGA TAT CCG GTT AAG ATC GAT CTC TGATTTCAGC Glu His Cys Ile His Arg Tyr Pro Val Lys Ile Asp Leu 490 495	1545
TTAACCGGTA AAATTGGTCT GTACATATAT TTACCACTGA GTAAAGACAT CAGTTAATGA	1605
TTTGTTGTTA CTCAATTGGG CTAAGTGTAT TATTATATGT GTTGTATATA ATAAAGGTAG	1665
AACGTAAATT TACTAAGAAA AAAAAAAAA AAAAAAAAA	1704
(2) INFORMATION FOR SEQ ID NO: 25:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 1664 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA to mRNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:	
CA ATG ACG TCT GTG AAC GTA AAA CTC CTT TAC CAT TAC GTC ATA ACC Met Thr Ser Val Asn Val Lys Leu Leu Tyr His Tyr Val Ile Thr 1 5 10 15	47
AAC TTT TTC AAC CTC TGT TTC TTC CCA CTG ACG GGG ATC CTC GCC GGA Asn Phe Phe Asn Leu Cys Phe Phe Pro Leu Thr Gly Ile Leu Ala Gly 20 25 30	95
AAA GGC TCT CGT CTT ACC ACA AAC GAT CTC CAC CAC TTC TAT TCA TAT Lys Gly Ser Arg Leu Thr Thr Asn Asp Leu His His Phe Tyr Ser Tyr 35 40 45	143

					TTT Phe			191
					AAA Lys 75			239
					CTT Leu			287
					AAA Lys			335
					GAT Asp			383
					TAC Tyr			431
					TCG Ser 155			479
					CTA Leu			527
					GTG Val			575
					GTT Val			623

•

		AAA Lys						671
		ATT Ile						719
		CTT Leu 245						767
		AAC Asn						815
		GCG Ala						863
		AAG Lys						911
		TTT Phe						959
		AGT Ser 325						1007
		AAC Asn						1055
		CTT Leu						1103
		AAA Lys						1151

					ATT Ile											1199
					GGG Gly 405											1247
					TTT Phe											1295
					GAG Glu											1343
					GGT Gly											1391
					AAT Asn											1439
					TAT Tyr 485											1487
					CAA Gln					TAAT	TTAT	rgt <i>i</i>	ATCTO	CAAA	rG	1537
ATGT	rtgtc	CCA C	CTTTC	CTCTT	rT TI	rTTT	TTTCT	r TT	TTTT	AGTT	ATA	\TTT?	TAP	GTTZ	ACGATG	1597
TTTI	rgtci	TAG C	TCGT	TAT	ra aa	DAAAT	TAAE	A CAT	rgggi	GTT	ACT	AGTAT	TAA A	AAAA	AAAAA	1657
AAAZ	AAAA															1664

- (2) INFORMATION FOR SEQ ID NO: 26:
- (i) SEQUENCE CHARACTERISTICS:

(B) TVDF.	nucleic ac	ાં ત		
(C) STRANDEDNE	SS: Single	2		
(D) TOPOLOGY:	linear			
(ii) MOLECULE TYPE	: cDNA to	mRNA		
())		06		
(xi) SEQUENCE DESC	RIPTION: SEQ	ID NO:26:		
CTTTCTTCTT CCCCAACA			Gln Pro His	
GTT CCG GTT CAC GTT Val Pro Val His Val 15				
AAC AAT CTC CCA AAT Asn Asn Leu Pro Asn 30				
CTT GGG TAC CAT TAC Leu Gly Tyr His Tyr 45	CTA ATC TCC			
CCT CTC CTC GGC GGC Pro Leu Leu Gly Gly 60				
GAA CTC TCT CTC CTC Glu Leu Ser Leu Leu 80			His Phe Leu	
ACA CTC GCT ACC GGA Thr Leu Ala Thr Gly 95				
ACC CGT CCT CGT CAT Thr Arg Pro Arg His 110				

(A) LENGTH: 1732 base pairs

GAC CO Asp Pi 12															435
CGT GT Arg Va 140															483
CTC GA	AA AG lu Ar	A TCC g Ser	GGT Gly 160	CTT Leu	GGG Gly	CAG Gln	AAA Lys	ACT Thr 165	TAC Tyr	TTC Phe	CCT Pro	GAA Glu	GCT Ala 170	CTT Leu	531
CTT CO															579
GAG AG Glu Th		ıl Met													627
GTG AA Val Ly 20															675
AAT CO Asn Pi 220															723
AGA GG Arg G															771
GGA C															819
AAC TO Asn Se		r Ala													867
TAC TO															915

		GTA Val 305						963
		CTC Leu						1011
		GGC Gly						1059
		ATC Ile					GCA Ala	1107
		CTC Leu					CTA Leu	1155
		GAA Glu 385						1203
		GTC Val						1251
		CAT His						1299
		AAG Lys						1347
		TTA Leu						1395

					GGG Gly			1443
					GGA Gly			1491

AGT GCG GTT TGG AAA GCT TTG AGA ACC ATT GAT CCT ATT GAT GAG AAG Ser Ala Val Trp Lys Ala Leu Arg Thr Ile Asp Pro Ile Asp Glu Lys 495 500 505	1539
AAG AAT CCA TGG AGT GAT GAG ATT CAT GAG TTT CCA GTT TCT GTT CCT Lys Asn Pro Trp Ser Asp Glu Ile His Glu Phe Pro Val Ser Val Pro 510 515 520	1587
AGG ATC ACT CCA GTT ACT TCT AAC TAGTGTTTTT TTTTTGGGTC CAACTAGGGA Arg Ile Thr Pro Val Thr Ser Asn 525 530	1641
TAATATTTGT TATGGTTTTG TTCTTACGTA CGTACTTTAA GTGATTTAGT CTAAAAATAA	1701
ATTGGTTTCA TAAAAAAAAA AAAAAAAAAA A	1732
 (2) INFORMATION FOR SEQ ID NO: 27: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 622 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA to mRNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27: 	
AAG CTT AAA CTA GTA TAC CAT TAC TTG ATC TCC AAC GCC ATG TAT TTG Lys Leu Lys Leu Val Tyr His Tyr Leu Ile Ser Asn Ala Met Tyr Leu 1 5 10 15	48
TTA ATG GTG CCG CTT CTA GCA GTA GCC TTT GCT CAT CTC TCC ACG TTG Leu Met Val Pro Leu Leu Ala Val Ala Phe Ala His Leu Ser Thr Leu 20 25 30	96
ACG ATT CAA GAT CTG GTT CAT CTT TGG GAA CAG CTT AAG TTC AAT TTA 1 Thr Ile Gln Asp Leu Val His Leu Trp Glu Gln Leu Lys Phe Asn Leu 35 40 45	L44

CTG TCA Leu Sei 50									192
TAT TTO Tyr Pho									240
TAC AAC Tyr Lys									288
AGA TCC Arg Sei									336
AAG AAA Lys Lys									384
GAG GCC Glu Ala 130	val								432
AAG GAO Lys Glu 145									480
AAA ACC Lys Thi									528
AGC TTO Ser Lev									576
TAC AAC								G	622

- (2) INFORMATION FOR SEQ ID NO: 28:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28 : Asn Ile Thr Thr Leu Gly 5
- (2) INFORMATION FOR SEQ ID NO: 29:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29 :
 Ser Asn Cys Lys Phe Gly
 5
- (2) INFORMATION FOR SEQ ID NO: 30:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: other

(A) DESCRIPTION: synthetic oligonucleotide (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30: 42 CAUCAUCAUC AUGTCGACAA AATGACGTCC ATTAACGTAA AG (2) INFORMATION FOR SEQ ID NO: 31: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 50 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: other (A) DESCRIPTION: synthetic oligonucleotide (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31: 50 CUACUACUAC UAGTCGACGG ATCCTATTTG GAAGCTTTGA CATTGTTTAG (2) INFORMATION FOR SEQ ID NO: 32: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 5 residues (B) TYPE: amino acids (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (ix) FEATURE: Xaa at position 3 = Leu or Gly(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32: Lys Leu Xaa Tyr His Tyr

- (2) INFORMATION FOR SEQ ID NO: 33:

 (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 41 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other
 - (A) DESCRIPTION: synthetic oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:

CAUCAUCAUC AUGAATTCAA GCTTAARYTN BKNTAYCAYT A

41

- (2) INFORMATION FOR SEQ ID NO: 34:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:

Asn Leu Gly Gly Met Gly Cys

- (2) INFORMATION FOR SEQ ID NO: 35:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 41 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other	
(A) DESCRIPTION: synthetic oligonucleotide	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:	
CAUCAUCAUC AUGAATTCAA GCTTAAYYTN GGNGGNATGG G	4:
(2) INFORMATION FOR SEQ ID NO: 36:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 40 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: other	
(A) DESCRIPTION: synthetic oligonucleotide	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 36:	
CUACUACUAC UAGGATCCGT CGACCCATNC CNCCNARRTT	40
(2) INFORMATION FOR SEQ ID NO: 37:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 6 residues	
(B) TYPE: amino acids	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: peptide	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:	
Gly Phe Lys Cys Asn Ser 5	
(2) INFORMATION FOR SEQ ID NO: 38:	
(i) SEQUENCE CHARACTERISTICS:	

41 base pairs

(A) LENGTH:

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other

(A) DESCRIPTION: synthetic oligonucleotide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38:

CUACUACUAC UAGGATCCGT CGACSWRTTR CAYTTRAANC C

(2) INFORMATION FOR SEQ ID NO: 39:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 29 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(A) DESCRIPTION: synthetic oligonucleotide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39:

CUACUACUAC UASWRTTRCA YTTRAANCC

29